





WIZEPANEL

Digital Signage



WizePanel Quadro 200 plus

Datasheet



Features

Display

- High resolution 6,0" monochrome ePaper display
- Ultra low power consumption
- 1024 x 758 pixel / 16 greyscales
- Brilliant display of text, graphics and photos
- New Pearl technology with high contrast, 180° reading angle and best visibility even in bright environments
- Pixel density: ca. 212 dpi

Casing

- Casing protection class: IP20
- Environment: 0 - 40 °C dry room
- Fire protection classification: UL 94 V0
- Casing color: Iron grey (RAL 7011)
- Casing material: ABS
- Interchangeable front plate, default front plate, customer specific front plate

Radio

- 868 MHz ultra low power radio
- Reach up to 400 m on free range. Within buildings according to circumstances correspondingly less

Power supply

- 6 x AA-Lithium-prime cells, 1.5V
- Recommendation: Energizer Ultimate Lithium, long battery lifetime (depending on usage profile up to 20 years)

Dimensions

- External dimensions without front: ca. 183 x 176 x 18 mm (B x H x T)
- Display: ca. 122 x 91 mm (B x H)


Weight

ca. 710 g
without batteries, incl. front plate & wall mount.
The weight can change depending on the front plate.



Dimensions of WizePanel Quadro 200 plus in mm:

Front plate:




Front view

Side view




Dimensions of WizePanel Quadro 200 plus in mm (incl. Wallmounting):

with Frontpanel:



without Frontpanel:



Customer specific front plates:





Drilling template of the wall mount. Dimensions in mm:

please print in 1:1 (do not scale!)

